



CONTENTS

| SITE PERIMETER | 3 |
|-------------------------------|----|
| SITE ENTRANCE | 4 |
| SITE TRAFFIC | 8 |
| PEDESTRIAN SAFETY | 11 |
| SITE PARKING | 13 |
| DOOR SIGNS | 15 |
| DISPLAY BOARDS | 17 |
| SITE RULES | 21 |
| CLEANING AND HYGIENE | 23 |
| MATERIALS STORE | 24 |
| WASTE MANAGEMENT | 25 |
| PERSONAL PROTECTIVE EQUIPMENT | 27 |
| FIRST AID | 29 |
| HELMET STICKERS | 30 |
| EMERGENCY ESCAPE | 31 |
| FIRE SAFETY | 33 |
| GENERAL HAZARDS | 36 |
| ELECTRICAL HAZARDS | 38 |
| HAZARDOUS SUBSTANCES | 38 |
| SERVICES AVOIDANCE | 40 |
| WORKING AT HEIGHT | 41 |
| ENVIRONMENTAL | 43 |
| SAFETY STANDS | 44 |
| BEST PRACTICE | 45 |
| PLOT SIGNAGE | 46 |
| BRANDING | 47 |






3

INTERFIX



| MATERIAL | SIZE | CODE |
|----------|------|----------|
| | DE | 0113-100 |

| 2 | YOUR LOGO | 1 | MATERIAL CRT | SIZE | CODE 0111-100 |
|---|---|---|--|----------------|--|
| S | TE SAFETY | | | | |
| | Warning Dangerous site | | | | |
| | Safety helmets, boots and hi-visibility waistcoats must be worn | | | | |
| | All visitors must report to site office | | C I MATERIAL SI | | S N CODE |
| | No unauthorised access | | The order code is the and design code . It is the design code. It is the design code and the design of the design | Sizes/materi | als highlighted |
| | Children must not play on this site | | C 4mm Fluted F R 2mm Rigid Pl V Self-Adhesive T 10mm Fluted | astic Vinyl | A 300x200 B 400x300 C 600x400 D 800x600 |
| | and Guid | | F 5mm Foamed | | E 1200x800 |




| MATERIAL | SIZE | CODE |
|----------------------------|------|----------|
| $\mathbb{C}\mathbb{R}^{T}$ | EU | 0375-100 |

| Welcome to Your Development Name All visitors and drivers must report to site office Heavy plant and machinery in operation | _ | (C)(R)(T) E U 0174-10 |
|---|---|---|
| report to site office Image: Provide the state of the sta | Welcome to Your Development Name | |
| No unauthorised access Children must not play on this site Safety helmets must be worn High-visibility jackets must be worn Safety footwear must be worn Safety footwear must be worn First aid equipment kept in the site office We apologise for any inconvenience | | |
| Children must not play on this site Safety helmets must be worn High-visibility jackets must be worn Safety footwear must be worn Safety footwear must be worn Safety footwear must be worn First aid equipment kept in the site office We apologise for any inconvenience | Heavy plant and machinery in operation | |
| Safety helmets must be worn High-visibility jackets must be worn Safety footwear must be worn Safety footwear must be worn First aid equipment kept in the site office We apologise for any inconvenience | No unauthorised access | |
| Safety helmets must be worn MATERIAL SIZE DESIGN CODE High-visibility jackets must be worn The order code is built up of the material, and design code. Sizes/materials highligh in yellow are the default for that design. Safety footwear must be worn MATERIALS: SIZES: First aid equipment kept in the site office C 4mm Fluted Polyprop E 1200. We apologise for any inconvenience V Self-Adhesive Vinyl | Children must not play on this site | ORDERING GUIDE |
| High-visibility jackets must be worn and design code. Sizes/materials highligh in yellow are the default for that design. Safety footwear must be worn MATERIALS: SIZES: First aid equipment kept in the site office C 4mm Fluted Polyprop E 1200. We apologise for any inconvenience V Self-Adhesive Vinyl | Safety helmets must be worn | |
| Safety footwear must be worn MATERIALS: SIZES: First aid equipment kept in the site office C 4mm Fluted Polyprop E 1200. We apologise for any inconvenience V Self-Adhesive Vinyl | High-visibility jackets must be worn | and design code. Sizes/materials highligh |
| First aid equipment kept in the site office R 2mm Rigid Plastic U 1800> We apologise for any inconvenience V Self-Adhesive Vinyl | Safety footwear must be worn | MATERIALS: SIZES: |
| We apologise for any inconvenience (V) Self-Adhesive Vinyl | First aid equipment kept in the site office | |
| | | |



INTERFIX



01302 763 800 sales@interfix.co.uk




7

INTERFIX

INTERFIX[™]

SITE ENTRANCE / SITE TRAFFIC




| YOUR LOGO Image: Constraint of the second | YOUR LOGOTEMPORARY ROAD BOAD SURFACEMATERIALSIZECODE© RC D0135-100 | YOUR LOGO Image: Construction Image: Construction |
|--|---|---|
| YOUR LOGO Deliveries | YOUR LOGO Deliveries Deliveries | YOUR LOGO Deliveries Deliveries Deliveries Deliveries Deliveries Deliveries Deliveries |
| YOUR LOGOYOUR LOGOONEOUROU | YOUR LOGOYOUR LOGOONEONEONEMATERIALSIZECOOOOOOOOOOOOOOOO | YOUR LOGO ONE One ONE One MATERIAL SIZE CODE © R C 0141-100 |
| YOUR LOGO Image: Construction stratic only Image: Construction stratic only Image: Construction strate only Image: Constrate only <th< th=""><th>YOUR LOGO Example No construction traffic beyond this point During MATERIAL SIZE CODE C D 0144-100</th><th>ORDERING GUIDE C D 1234-123 MATERIAL SIZE DESIGN CODE The order code is built up of the material, size and design code. Sizes/materials highlighted in yellow are the default for that design. MATERIALS: SIZES: C 4mm Fluted Polyprop A 300x200 R 2mm Rigid Plastic B 400x300 V Self-Adhesive Vinyl C 600x400 T 10mm Fluted Polyprop D 800x600 F 5mm Foamed Plastic E 1200x800</th></th<> | YOUR LOGO Example No construction traffic beyond this point During MATERIAL SIZE CODE C D 0144-100 | ORDERING GUIDE C D 1234-123 MATERIAL SIZE DESIGN CODE The order code is built up of the material, size and design code. Sizes/materials highlighted in yellow are the default for that design. MATERIALS: SIZES: C 4mm Fluted Polyprop A 300x200 R 2mm Rigid Plastic B 400x300 V Self-Adhesive Vinyl C 600x400 T 10mm Fluted Polyprop D 800x600 F 5mm Foamed Plastic E 1200x800 |


| YOUR LOGO Exercised vehicles beyond this point | TOUR LOGO | The second secon |
|--|---|--|
| MATERIALSIZECODECRCD0145-100 | MATERIALSIZECODECRCD0146-100 | MATERIALSIZECODECRCD0147-100 |
| YOUR LOGO Wheel wash area June MATERIAL SIZE CODE C C D 0148-100 | YOUR LOGO YOUR LOGO All traffic turn left When leaving site Junc MATERIAL SIZE C D 0150-100 | YOUR LOGO Your All traffic turn right when leaving site JUUE WATERIAL SIZE CODE C 0151-100 |
| YOUR LOGO Drivers Dease be courteous when leaving site Umaterial Size CODE MATERIAL Size CODE C C D 0149-100 | Image: Size codeC R TR0152-0 | MATERIAL SIZE CODE C R 0153-0 |
| GO STOP MATERIAL SIZE CODE Plastic 600mm dia. SM141 | FULL RANGE OF SITE TRAFFIC STANCHIONS AVAILABLE IN ROBUST PLASTIC OR METAL, PLEASE ENQUIRE | ORDERING GUIDE C D 1234-123 MATERIAL SIZE DESIGN CODE The order code is built up of the material, size and design code. Sizes/materials highlighted in yellow are the default for that design. MATERIALS: SIZES: C 4mm Fluted Polyprop A 300x200 R 2mm Rigid Plastic B 400x300 V Self-Adhesive Vinyl C 600x400 T 10mm Fluted Polyprop D 800x600 F 5mm Foamed Plastic R 600x600 |



INTERFIX[™]



01302 763 800 sales@interfix.co.uk










INTERFIX[™]





| Site Office | Site Manager | Canteen |
|------------------------------------|---|--|
| MATERIALSIZECODERVH0310-0 | MATERIAL SIZE CODE RVL H 0311-0 | MATERIAL SIZE CODE RVL H 0312-0 |
| Drying Room | Meeting Room | Toilets |
| MATERIALSIZECODERVH0313-0 | MATERIAL SIZE CODE RVL H 0314-0 | MATERIAL SIZE CODE RVL H 0315-0 |
| Ladies Toilet | Gents Toilet | Disabled Toilet |
| MATERIALSIZECODERVH0316-0 | MATERIAL SIZE CODE RVL H 0317-0 | MATERIAL SIZE CODE RVL H 0318-0 |
| Cleaning Store | John Smith Project Manager | ORDERING GUIDE C D 1234-123 MATERIAL SIZE DESIGN CODE The order code is built up of the material, size and design code. Sizes/materials highlighted in yellow are the default for that design. MATERIALS: SIZES: C to Sixe the default of the size of the s |
| MATERIAL SIZE CODE RVL H 0319-0 | USE MATERIAL CODE L FOR BRUSHED METAL OPTION. CUSTOM DESIGNS ALSO AVAILABLE. | (C)4mm Fluted PolypropH300x100(R)2mm Rigid PlasticB400x300(V)Self-Adhesive VinylC600x400(L)Brushed AluminiumD800x600(F)5mm Foamed PlasticE1200x800 |





16

INTERFIX

DISPLAY BOARDS

| YOUR LOGO | SAFETY, HEALTH & ENVIRONMENTAL INFORMATION | | | |
|---|---|-----|--|--|
| | <section-header><text></text></section-header> | | | |
| EMERGENCY DETAILS First aid A call the event of accident / filess Call the added A call the added | F10 H&S POLICY LIABILITY INSURAN | ICE | | |
| <section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header> | ENVIRONMENTAL PLAN WASTE LICENCE EQUIPMENT CHEC | KS | | |



| MATERIAL | SIZE | CODE |
|----------|------|----------|
| TF | Т | 0569-100 |

SHE BOARD FOR LARGE SITES

AVAILABLE IN 10mm FLUTED POLYPROP OR 5mm FOAMED PLASTIC 1200x1200mm

SUPPLIED WITH:

- A3 WHITEBOARD FOR ALERTS AND
 ANNOUNCEMENTS
- A3 HEALTH & SAFETY LAW POSTER
- A3 SITE PLAN DOCUMENT HOLDER
- A4 EMERGENCY DETAILS
 DOCUMENT HOLDER
- A4 F10 FORM DOCUMENT HOLDER
- A4 H&S POLICY DOCUMENT HOLDER
- A4 LIABILITY INSURANCE
 DOCUMENT HOLDER
- A4 FIRE PLAN DOCUMENT HOLDER
 A4 ENVIRONMENTAL PLAN
- A4 ENVIRONMENTAL PLAN
 DOCUMENT HOLDER
- A4 WASTE LICENCE DOCUMENT HOLDER
- A4 EQUIPMENT CHECKS DOCUMENT HOLDER (FOR MULTIPLE SHEETS)
- FIRST AID SIGNAGE
- FIRE ACTION SIGNAGE



H&S BOARD FOR SMALL SITES

AVAILABLE IN 10mm FLUTED POLYPROP OR 5mm FOAMED PLASTIC 800x1200mm

SUPPLIED WITH:

- A3 WHITEBOARD FOR ALERTS AND
 ANNOUNCEMENTS
- A3 HEALTH & SAFETY LAW POSTER
- A4 EMERGENCY DETAILS
 DOCUMENT HOLDER
- A4 F10 FORM DOCUMENT HOLDER
- A4 H&S POLICY DOCUMENT HOLDER
- A4 FIRE PLAN DOCUMENT HOLDER
- FIRST AID SIGNAGE
- FIRE ACTION SIGNAGE







CODE

XWW0564-100

TRAFFIC MANAGEMENT PLAN MAGNETIC DRY-WIPE BOARD 1200x900mm

SUPPLIED WITH PRINTED MAGNETS CORRESPONDING TO THE SIGN KEY.

SEND US YOUR SITE PLAN IN PDF FORMAT AND WE WILL RETURN A PROOF FOR APPROVAL.

BOARD AND ICONS CAN BE CUSTOMISED TO YOUR REQUIREMENTS.

YOUR LOGO HAZARD BOARD

| Unsafe / Stop notices issued: |
|-------------------------------|
| Hazardous works in progress: |
| Safe contractor of the month: |
| Poor performers: |
| |
| |

CODE

XDE0562-100

HAZARD BOARD

SUPPLIED IN 5mm FOAMED PLASTIC WITH DRY-WIPE LAMINATION 1200x800mm

SECTION HEADINGS:

- SITE MANAGER
- TELEPHONE
- FIRST AIDERS ON SITE
- UNSAFE/STOP NOTICES ISSUED
- NUMBER OF OPERATIVES ON SITE
- HAZARDOUS WORKS IN PROGRESS
- NUMBER OF ACCIDENTS
- SAFE CONTRACTOR OF THE MONTH
- DAYS FREE OF ACCIDENTS
- POOR PERFORMERS
- OTHER INFORMATION



| X | OUR | LOGO | | MONTH | | INER |
|--------|---------|-----------|---------|----------|----------|--------|
| MONDAY | TUESDAY | WEDNESDAY | THURSDA | Y FRIDAY | SATURDAY | SUNDAY |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | _ | _ | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |


CODE

XDE0563-100

MONTH PLANNER BOARD

SUPPLIED IN 5mm FOAMED PLASTIC WITH DRY-WIPE LAMINATION 1200x800mm

COVERS FIVE WEEKS. DATES CAN BE WRITTEN IN THE GREY BOXES THEN ERASED AND REPLACED FOR THE NEXT MONTH.



CODE

XDE0566-100

FEEDBACK BOARD SUPPLIED IN 5mm FOAMED PLASTIC

SUPPLIED IN 5mm FOAMED PLASTIC WITH DRY-WIPE LAMINATION 1200x800mm





| YOUR LOGO | D NEAR MISSES | |
|---|---------------------------------|--|
| Site Name: Date Details of near miss | Month: Preventive actions taken | NEAR M SUPPLIED WITH DR 1200x800 SECTION • SITE • MON • DAT • DET. • PREV |

CODE

XDE0568-100

MISS REPORTING BOARD

ED IN 5mm FOAMED PLASTIC RY-WIPE LAMINATION)0mm

N HEADINGS:

- E NAME
- NTH
- ΤE
- TAILS OF NEAR MISS
- EVENTIVE ACTIONS TAKEN



CODE


XDE0567-100

QUALITY COMMON SCORING BOARD

SUPPLIED IN 5mm FOAMED PLASTIC WITH DRY-WIPE LAMINATION 1200x800mm

WRITE YOUR NHBC SCORES FOR EACH BUILD STAGE ONTO THE BOARD.

COLOURED SCORE MAGNETS ALSO AVAILABLE, PLEASE ENQUIRE.



INTERFIX

01302 763 800 sales@interfix.co.uk

| No smoking | YOUR LOGO | <section-header>EXAMPLE TORGO EXAMPLE TORGO EXAMPLE TORGO EXAMPLE TORGO EXAMPLE TORGO EXAMPLE TORGO EXAMPLE TORGO EXAMPLE TORGO EXAMPLE TORGO EXAMPLE TORGO EXAMPLE TORGO EXAMPLE TORGO EXAMPLE TORGO EXAMPLE TORGO EXAMPLE TORG</section-header> |
|--|--|--|
| MATERIALSIZECODERVLG0155-0 | MATERIAL SIZE CODE C R A B C 0154-100 | MATERIAL SIZE CODE |
| FOUR LOGO WWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWW | YOUR LOGO | YOUR LOGO |
| MATERIALSIZECODECRBC0157-100 | MATERIALSIZECODECRBC0158-100 | MATERIALSIZECODECRBC0159-100 |
| YOUR LOGO | | |



ORDERING GUIDE



The order code is built up of the **material**, **size** and **design code**. Sizes/materials highlighted in **yellow** are the default for that design.








| YOUR LOGO www.executions.com Please put your rubbish in the bins provided | YOUR LOGO Please leave this facility as you would expect to find it | YOUR LOGO Image: Strain Stra |
|---|---|---|
| MATERIALSIZECODEC RA B C0400-100 | MATERIALSIZECODECRBC0401-100 | MATERIALSIZECODECRABC0402-100 |
| Image: Constant state Image: Constant sta | Image: Arrow of the constraint of the | Image: Constant state Image: Constant sta |
| Drinking Drinking Drinking Discrete Discrete Discrete Code R I G 0406-0 | Hand wash During the second | Image: Constraint of the taps MATERIAL SIZE CODE Image: Constraint of the taps Image: Constraint of taps |
| Please turn off the lights when you leave were MATERIAL SIZE CODE R V G A 0409-0 | SEE PAGE 44 FOR RANGE OF SAFETY STANDS | ORDERING GUIDE C D 1234-123 MATERIAL SIZE DESIGN CODE The order code is built up of the material, size and design code. Sizes/materials highlighted in yellow are the default for that design. MATERIALS: DESIGN CODE MATERIALS: SIZES: C 4mm Fluted Polyprop A 300x200 R 2mm Rigid Plastic B 400x300 V Self-Adhesive Vinyl C 600x400 T 10mm Fluted Polyprop L 150x100 F 5mm Foamed Plastic G 200x150 |

23







| CODE | DESCRIPTION |
|------|-----------------------------|
| 0482 | Store 1 |
| 0483 | Store 2 |
| 0484 | Store 3 |
| 0485 | Store 4 |
| 0486 | Building Sand |
| 0487 | Sharp Sand |
| 0488 | MOT Type 1 |
| 0489 | МОТ Туре 3 |
| 0490 | 6F5 / 6F2 |
| 0491 | Clean Stone |
| 0492 | Crusher Run |
| 0493 | Pipe Bedding |
| 0494 | Clean Subsoil |
| 0495 | Clean Topsoil |
| 0496 | Spoil |
| 0497 | Bricks |
| 0498 | Blocks |
| 0499 | Aircrete Blocks |
| 0500 | Roof Trusses |
| 0501 | Lintels |
| 0502 | Cavity Closers |
| 0503 | Skirting |
| 0504 | Architrave |
| 0505 | Window Boards |
| 0506 | CLS 3x2" Timber |
| 0507 | CLS 4x2" TImber |
| 0508 | Brickwork Sundries |
| 0509 | Temporary Protection |
| 0510 | Fixings |
| 0511 | Sealants |
| 0512 | Signage |
| 0513 | [CUSTOM WORDING] |






| Image: state | | |
|--|--|---|
| YOUR LOGO Image: Construction of the second state of the seco | YOUR LOGO Imber waste Dimber waste Only Imaterial SIZE CODE C C B D 0521-100 | YOUR LOGO Image: Construction of the second state of the seco |
| Image: state stat | | ORDERING GUIDE C D 1234-123 MATERIAL SIZE DESIGN CODE The order code is built up of the material, size and design code. Sizes/materials highlighted in yellow are the default for that design. MATERIALS: SIZES: C 4mm Fluted Polyprop A 300x200 R 2mm Rigid Plastic B 400x300 V Self-Adhesive Vinyl C 600x400 T 10mm Fluted Polyprop D 800x600 G Vehicle Grade Magnetic E 1200x800 |




INTERFIX[®]





INTERFIX[™]


PERSONAL PROTECTIVE EQUIPMENT



27



PERSONAL PROTECTIVE EQUIPMENT



X INTERFIX[™]

01302 763 800 sales@interfix.co.uk

| YOUR LOGO First aid point | First aid | First aiders |
|--|---|--|
| MATERIALSIZECODECRBCD0302-100 | MATERIALSIZECODERVH0303-0 | MATERIALSIZECODERAB0304-0 |
| Image: Contract of the state | YOUR LOGO Image: Size code MATERIAL Size code C A B C 0306-100 | FOUR LOGO Image: Size code MATERIAL Size code C R B C |
| AED Emergency defibrillator Located at: | YOUR LOGO | YOUR LOGO |
| MATERIALSIZECODERAB0301-0 | MATERIALSIZECODECRABC0308-100 | MATERIALSIZECODECRABC0309-100 |
| YOUR LOGO Image: Constant state Material SiZE CODE C A B C 0435-100 | YOUR LOGO Mental health first aiders Mental health first aiders Name: Located: Name: Located: Name: Located: Locate | ORDERING GUIDE C D 1234-123 MATERIAL SIZE DESIGN CODE The order code is built up of the material, size and design code. Sizes/materials highlighted in yellow are the default for that design. MATERIALS: SIZES: C 4mm Fluted Polyprop A 300x200 R 2mm Rigid Plastic B 400x300 V Self-Adhesive Vinyl C 600x400 T 10mm Fluted Polyprop D 800x600 (F) 5mm Foamed Plastic H 300x100 |

01302 763 800 sales@interfix.co.uk





INTERFIX



INTERFIX[™]

| Fire exit Keep clear | Fire exit | Fire A -> |
|--|---|---|
| MATERIAL SIZE CODE RVP FM 0422-0 | MATERIAL SIZE CODE RVP FM 0423-0 | MATERIAL SIZE CODE RVP FM 0424-0 |
| Fire exit | Fire A | Fire exit |
| MATERIAL SIZE CODE RVP FM 0425-0 | MATERIAL SIZE CODE RVP FM 0426-0 | MATERIALSIZECODERVPFM0427-0 |
| Fire and a second secon | Fire exit | Fire is a |
| MATERIALSIZECODERVPFM0428-0 | MATERIAL SIZE CODE RVP FM 0429-0 | MATERIALSIZECODERVPFM0430-0 |
| Fire exit | USE MATERIAL CODE P FOR PHOTOLUMINESCENT MATERIAL (GLOW IN THE DARK) | ORDERING GUIDE C D 1234-123 MATERIAL SIZE DESIGN CODE The order code is built up of the material, size and design code. Sizes/materials highlighted in yellow are the default for that design. MATERIALS: DESIGN CODE MATERIALS: SIZES: C 4mm Fluted Polyprop A 300x200 R 2mm Rigid Plastic B 400x300 V Self-Adhesive Vinyl C 600x400 P Photoluminescent Rigid F 400x150 F 5mm Foamed Plastic M 600x200 |

31

EMERGENCY ESCAPE

| YOUR LOGO YOUR LOGO | YOUR LOGO YOUR LOGO | YOUR LOGO Nearest assembly point Nearest assembly point MATERIAL SIZE C R C D 0474-100 |
|---|---|--|
| YOUR LOGO | YOUR LOGO | YOUR LOGO |
| MATERIALSIZECODECRBCD0432-100 | MATERIALSIZECODECRBCD0433-100 | MATERIAL SIZE CODE C R B C D 0434-100 |
| Push bar to open | Turn to open | Turn to open |
| MATERIAL SIZE CODE (R) (V) 200x75 0475-0 | MATERIALSIZECODERVLG0476-0 | MATERIALSIZECODE(R) (V)LG0477-0 |
| MATERIAL SIZE CODE R V P A B C 0413-0 | | ORDERING GUIDE C D 1234-123 MATERIAL SIZE DESIGN CODE The order code is built up of the material, size and design code. Sizes/materials highlighted in yellow are the default for that design. MATERIALS: SIZES: C 4mm Fluted Polyprop A 300x200 R 2mm Rigid Plastic B 400x300 V Self-Adhesive Vinyl C 600x400 P Photoluminescent Rigid L 150x100 F 5mm Foamed Plastic G 200x150 |



FIRE SAFETY



INTERFIX

01302 763 800 sales@interfix.co.uk

FIRE SAFETY - EXTINGUISHERS

| POAR 2PRAY | CARBON DIOXIDE CARBON DIOXIDE CONSTRUCTION | Vare |
|--|--|--|
| MATERIAL SIZE CODE | MATERIAL SIZE CODE | MATERIAL SIZE CODE |
| R V P J 0457-0 | R (V)(P) J 0458-0 | R (V) (P) J 0459-0 |
| MATERIAL SIZE CODE R V <p< td=""> J 0460-0</p<> | MATERIAL SIZE CODE R V J 0461-0 | KNOW YOUR FIRE EXTINGUISHER Water Form Owner Owner Owner Water Form Owner Owner Owner Owner Water Size CODE Oute2-0 |
| <image/> | Image: Size Size Code Material Size Code | Image: Size Size Code Image: Size Size Code |
| R V P L 0469-0 | $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | $\begin{array}{ c c c c c c c c c c c c c c c c c c c$ |
| Image: Non-state indext index index index indext indext indext indext indext index | Image: Construction of the second | ORDERING GUIDE C D 1234-123 MATERIAL SIZE DESIGN CODE The order code is built up of the material, size and design code. Sizes/materials highlighted in yellow are the default for that design. MATERIALS: SIZES: C 4mm Fluted Polyprop R 2mm Rigid Plastic B 400x300 V Self-Adhesive Vinyl C 600x400 P Photoluminescent Rigid |

34



| MATERIALSIZECODE(v)75x100SF316DESCRIPTIONCODE76mm Stainless SteelQ0065SEX1016SSSDESCRIPTIONCODE(v)75x100SF316Image: Constraint of the second secon | |
|--|---------------------|
| $\frac{1}{10000000000000000000000000000000000$ | _ |
| DESCRIPTION CODE DESCRIPTION CODE MATERIAL SIZE CODE 76mm Stainless Steel Q0066ZSS11SSS DESCRIPTION CODE MATERIAL SIZE CODE Fire door CODE Odde CODE Odde MATERIAL SIZE CODE Fire door Code Code Q0065SEX1022 MATERIAL SIZE CODE Fire door Code Code Code Code Code Code Code Fire door Code | |
| 76mm Stainless Steel Q0066ZSS11SSS 76mm Stainless Steel Q0065SEX1022 R V P K 0000-100 Fire door | |
| Fire door | - C |
| keep locked shut fire door keep clear keep clear | |
| MATERIAL SIZE CODE MATERIAL SIZE CODE MATERIAL SIZE CODE | |
| RVP K 0000-100 RVP K 0000-100 RVP K 0000-100 |) |
| ORDERING GUIDE C D 1234-123 MATERIAL SIZE DESIGN CODE The order code is built up of the material, size and design code. Sizes/materials highlighted in yellow are the default for that design. MATERIALS: SIZES: C 4mm Fluted Polyprop K 100x100 R 2mm Rigid Plastic B 400x300 V Self-Adhesive Vinyl C 600x400 P Photoluminescent Rigid D 800x600 F 5mm Foamed Plastic E 1200x800 | d 00 00 00 |

INTERFIX

GENERAL HAZARDS





INTERFIX



37



INTERFIX[®]

ELECTRICAL HAZARDS / HAZARDOUS SUBSTANCES




38




| YOUR LOGOImage: Second s | YOUR LOGOImage: Second s | YOUR LOGO Diagonal Diagonal Diagonal Diagonal Diagonal Diagonal Diagonal |
|---|---|---|
| Image: Constrained state stat | Image: Constant state sta | YOUR LOGO Highly flammable No smoking No naked lights |
| YOUR LOGO Image: Constraint of the second | YOUR LOGO Image: state st | ORDERING GUIDE C D 1234-123 MATERIAL SIZE DESIGN CODE The order code is built up of the material, size and design code. Sizes/materials highlighted in yellow are the default for that design. MATERIALS: SIZES: C 4mm Fluted Polyprop A 300x200 R 2mm Rigid Plastic W Self-Adhesive Vinyl C 600x400 T 10mm Fluted Polyprop D 800x600 F 5mm Foamed Plastic E 1200x800 |





INTERFIX[®]



41

L

| YOUR LOGO LOADING BAY | YOUR LOGO | Forklift drivers Do not leave until gate is closed |
|--|------------------------------|---|
| MATERIALSIZECODECRCD0392-100 | MATERIALSIZECODECRCD0393-100 | MATERIALSIZECODECRCD0394-100 |
| YOUR LOGO Image: State of the state of | Danger Scaffolding | YOUR LOGO WORKING LOAD MORTAR TUB & PACK BRICKS OR MORTAR TUB & PACK BLOCKS OR MORTAR TUB & ACK ROOF TILES |

ORDERING GUIDE



V Self-Adhesive Vinyl C 600x400

D 800x600 E 1200x800

 (F) 5mm Foamed Plastic

 (\mathbf{B}) PVC Banner












| YOUR LOGO | | | | |
|------------|----------------------|------|--|--|
| | Protected species | | | |
| \bigcirc | Do not enter | | | |
| | | | | |
| MATERIAL | SIZE | CODE | | |



ORDERING GUIDE



(F) 5mm Foamed Plastic





SAFETY STANDS

| Caution Work in Progress | | Warning Wet floor | | Caution Cleaning in Progress | |
|---|-------------------|------------------------|-------------------|------------------------------------|--|
| SIZE | CODE | SIZE | CODE | SIZE | CODE |
| 200x620 | XEZ0571-0 | 200x620 | XEZ0572-0 | 200x620 | XEZ0573-0 |
| Clize | | Dan | | | |
| SIZE 200x620 | CODE XEZ0574-0 | SIZE | CODE XEZ0575-0 | SIZE | CODE XEZ0576-0 |
| Caut Wet p. | tion | Cau Electri Work | tion | Out ord | of |
| SIZE | CODE | SIZE | CODE | SIZE | CODE |
| 200x620 | XEZ0577-0 | 200x620 | XEZ0578-0 | 200x620 | XEZ0579-0 |
| SIZE CODE 200x620 XEZ0580-0 | | Cu. | CODE XEZ0581-0 | C D 12 MATERIAL SIZE | B 400x300 yl C 600x400 /prop D 800x600 |



INTERFIX

BEST PRACTICE

| YOUR LOGO Image: Size CODE Image: Size Code | YOUR LOGO YOUR LOGO STORM STORM STORM MATERIAL SIZE CODE N <p< th=""> 0556-100</p<> | MATERIALSIZECODEC610x610T0617024 |
|--|---|---|
| (PACK OF 6) MATERIAL SIZE CODE C 440x610 METERBOX14 | (PACK OF 6) MATERIAL SIZE CODE C 440x610 0557-100 | Image: constraint of the second se |
| AIR BRICKTweeT | YOUR LOGO EVERY DAY IS A PRIDE IN THE JOB DAY N'HBC MATERIAL SIZE CODE © B C | YOUR LOGO QUALITY CONTROL BE PROUD OF THE JOB YOU DO! Due MATERIAL SIZE CODE © R B D 0561-100 |
| | | C D 1234-123 MATERIAL SIZE DESIGN CODE The order code is built up of the material, size and design code. Sizes/materials highlighted in yellow are the default for that design. MATERIALS: SIZES: C 600x400 R 2mm Rigid Plastic D 800x600 V Self-Adhesive Vinyl N 300x300 T 10mm Fluted Polyprop P 400x400 F 5mm Foamed Plastic R 600x600 |





| Image: state stat | SOLD STICKER TO SUIT PLOT SIGNS (PACK OF 10) MATERIAL SIZE CODE | YOUR LOGO This property is occupied Dease respect the privacy of the owner During the owner Du |
|---|--|---|
| TOUR LOGO TOUR LOGO Please keep off the grass | TYOUR LOGO No parking Finished driveway | YOUR LOGO This plot is complete Please keep clean |
| C R A B C A B C O448-100 YOUR LOGO Image: Contemport < | C R C D 0449-100 YOUR LOGO Please use the overshoes provided | C R B C Odf Odf </td |
| MATERIAL SIZE CODE C R B C D 0451-100 | MATERIAL SIZE CODE C R B C D 0452-100 | MATERIAL SIZE CODE C R B C D 0453-100 ORDERING GUIDE C D 1234-123 MATERIAL SIZE DESIGN CODE The order code is built up of the material, size and design code. Sizes/materials highlighted in yellow are the default for that design. |
| Please do not use the toiletMATERIALSIZECODECRABC0454-100 | (PACK OF 10) | MATERIALS:SIZES:C4mm Fluted PolypropA300x200R2mm Rigid PlasticB400x300VSelf-Adhesive VinylC600x400T10mm Fluted PolypropD800x600F5mm Foamed PlasticE1200x800 |

46

| MATERIAL SIZE CODE C R T B C D E 0535-100 | Your Site Name Material Size CODE CRTCDE 0536-100 | Site Manager: Firstname Lastname Contact: 07123 456789 |
|--|---|--|
| MATERIAL SIZE CODE C R T B C D E 0538-100 | MATERIAL SIZE CODE C R T B C D E 0539-100 | TYOUR LOGO MATERIAL SIZE CODE C R T B C D E 0540-100 |
| TYOUR LOGO MATERIAL SIZE CODE | STREET NAME TEMPORARY STREET SIGNS TO AVOID DAMAGE TO PERMANENT SIGNS MATERIAL SIZE CODE C T) (F) 1000x150 0542-100 | STREET NAME I DEAD END VERSION MATERIAL SIZE CODE C T 1000x150 0543-100 |
| C F M 0541-100 | C (T)(F) 1000x150 0542-100 | C(T) (F)1000x1500543-100ORDERING GUIDEC D 1234-123MATERIAL SIZE DESIGN CODEThe order code is built up of the material, size and design code. Sizes/materials highlighted in yellow are the default for that design.MATERIALS:SIZES:C4mm Fluted PolypropF400x150B400x300(V)Self-Adhesive VinylC600x400(T)10mm Fluted PolypropD800x600(F)5mm Foamed PlasticE1200x800 |